

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Gatorback Anti Fuel-Staining Topcoat

HMS CODES: H F R P

PRODUCT CODE(S): GB02PT, GB03PT, GBBLKPT

1 0 0 B

SECTION I - MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME: R M Car Care, Inc.

ADDRESS: 4401 River Close Blvd.

DATE PRINTED: 12/21/2005

Valrico, FL 33594

NAME OF PREPARER: KL

EMERGENCY PHONE: Chemtrec 800-424-9300

INFORMATION PHONE: 813-294-9223

SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION

REPORTABLE COMPONENTS	OCCUPATIONAL EXPOSURE LIMITS				VAPOR PRESSURE		WEIGHT %
	CAS NUMBER	OSHA	ACGIH TLV	OTHER1	mm HG @	TEMP (F)	
*1-methyl-2-pyrrolidone	872-50-4	N/A	N/A	N/A	<1	20C	1-5
2-butoxyethanol	11-76-2	100ppm	100ppm		20	25C	1-5
Acrylic resin	blend	N/A	N/A	N/A	N/A		20-30
N-butyl ether glycol	112-34-5	100ppm	100ppm		20	25C	1-5

* Indicates toxic chemical(s) subject to the reporting requirements of Section 313 of Title III and of 40 CFR 372

WARNING: DETECTABLE AMOUNTS OF A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND/OR BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM **MAY** BE PRESENT IN THIS PRODUCT

SECTION III - PHYSICAL / CHEMICAL CHARACTERISTICS

BOILING RANGE	<100C	SPECIFIC GRAVITY (H2O=1):	1.19
VAPOR DENSITY:	Lighter than air		
EVAPORATION RATE:	Slower than n-Butyl Acetate		
COATING V.O.C.:	110 g/l	MATERIAL V.O.C.	110 g/l
SOLUBILITY IN WATER:			
APPEARANCE AND ODOR:	Gray, medium viscosity, pourable liquid		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: None determined

FLAMMABILITY LIMITS - LOWER: None determined

UPPER: None determined

EXTINGUISHING MEDIA: Fight source of fire. Water spray, carbon dioxide, chemical foam.

SPECIAL FIRE FIGHTING PROCEDURES:

None are expected to be required. If this material is involved in a fire, NIOSH approved self-contained breathing apparatus should be worn.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Material can splatter above 100C. This is a water based coating and no fire or explosion hazards are expected.

SECTION V - REACTIVITY DATA

STABILITY: Stable

CONDITIONS TO AVOID: Excessive heat and freezing temperatures.

INCOMPATIBILITY (MATERIALS TO AVOID):

None known to cause dangerous condition.

SECTION V - REACTIVITY DATA (continued)

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

Carbon monoxide, carbon dioxide, and unidentified organic compounds.

HAZARDOUS POLYMERIZATION:

Will not occur.

SECTION VI - HEALTH HAZARD DATA

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

If vapors are bothersome, remove to fresh air.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

Skin: Avoid prolonged contact. Wash with large amounts of water. If irritation persists, see physician. Eyes: Flush with large amounts of water until all material is removed. If irritation persists, get medical attention immediately.

SKIN ABSORPTION RISKS AND SYMPTOMS OF EXPOSURE:

Avoid prolonged contact. Wash with large amounts of water. If irritation persists, see physician.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

Consult physician.

HEALTH HAZARDS (ACUTE AND CHRONIC):

Acute: Continuous skin contact may cause dermatitis. May result in irritation of the skin, eyes and respiratory tract. Chronic: Not determined.

CARCINOGENICITY: NTP?: IARC?: OSHA?:

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

None known

EMERGENCY FIRST AID PROCEDURES:

Remove contaminated clothing and wash contaminated area with plenty of water.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Confine as much as possible. Dike and absorb with inert material such as vermiculite. Transfer to containers for disposal.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE (continued)

WASTE DISPOSAL METHOD:

Dispose of in accordance with all Federal, State, and local ordinances.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

Wear gloves, goggles, and protective clothing to prevent contact with product. Store material at temperatures between 49C (120F) and 2C (36F). Do not store containers in direct sunlight.

OTHER PRECAUTIONS:

N/A

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION:

None required if adequate ventilation is provided.

VENTILATION:

Adequate to keep exposure limits below those listed in SECTION II

PROTECTIVE GLOVES:

Impervious rubber gloves.

EYE PROTECTION:

Chemical splash goggles. (ANSI Z87.1 or approved equivalent)

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

Wear protective clothing to prevent contact with product.

WORK / HYGENIC PRACTICES:

Use good personal hygiene. Do not consume or store food in the work area. Wash hands before smoking or eating.

SECTION IX - TRANSPORTATION AND SHIPPING

DOT/UN SHIPPING NAME:	N/A	FREIGHT DESCRIPTION
DOT/UN CLASS:	N/A	N/A
NA/UN NUMBER:	N/A	
PACKING GROUP:	N/A	
DOT LABELS REQUIRED	N/A	

SECTION IX - DISCLAIMER

R M Car Care urges each customer or recipient of this MSDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this MSDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Since conditions for the use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product.